ELSEVIER

Agricultural Water Management 51 (2001) 231–236

Agricultural water management

www.elsevier.com/locate/agwat

Cumulative Author Index, Volumes 47–51

Abrisqueta, J.M., Ruiz, A. and Franco, J.A., Water balance of apricot trees (*Prunus armeniaca* L. cv. Búlida) under drip irrigation, (50) (2001) 211

Adiku, S.G.K., Renger, M., Wessolek, G., Facklam, M. and Hecht-Bucholtz, C., Simulation of the dry matter production and seed yield of common beans under varying soil water and salinity conditions, (47) (2001) 55

Aguirrezabal, L.A.N., *see* Sakalauskas, K.M., (50) (2001) 97

Alcaide, M., *see* Reca, J., (48) (2001) 103

Alcaide, M., *see* Reca, J., (48) (2001) 117

Alderfasi, A.A. and Nielsen, D.C., Use of crop water stress index for monitoring water status and scheduling irrigation in wheat, (47) (2001) 69

Alexandris, S., *see* Poulovassilis, A., (51) (2001) 143

Allaire-Leung, S.E., Wu, L., Mitchell, J.P. and Sanden, B.L., Nitrate leaching and soil nitrate content as affected by irrigation uniformity in a carrot field, (48) (2001) 37

Anadranistakis, M., *see* Poulovassilis, A., (51) (2001) 143

Andam, M., *see* Sepaskhah, A.R., (49) (2001) 51

Aragüés, R., *see* Tedeschi, A., (49) (2001) 31

Arora, V.K., *see* Singh, K.B., (49) (2001) 77

Arruda, F.B., *see* de Medeiros, G.A., (49) (2001) 211

Asare, D.K., Sammis, T.W., Smeal, D., Zhang, H. and Sitze, D.O., Modeling an irrigation management strategy for minimizing the leaching of atrazine, (48) (2001) 225

Ayars, J.E., Schoneman, R.A., Dale, F., Meso, B. and Shouse, P., Managing subsurface drip irrigation in the presence of shallow ground water, (47) (2001) 243

Badiger, S., *see* Cooke, R.A., (48) (2001) 207

Baginska, B., *see* Hollinger, E., (47) (2001) 227

Bainbridge, D.A., Buried clay pot irrigation: a little known but very efficient traditional method of irrigation, (48) (2001) 79

Bajwa, M.S., *see* Choudhary, O.P., (49) (2001) 1

Barbiéro, L., Valles, V., Régeard, A. and Cheverry, C., Residual alkalinity as tracer to estimate the changes induced by forage cultivation in a non-saline irrigated sodic soil, (50) (2001) 229

Bastiaanssen, W.G.M., *see* Sarwar, A., (50) (2001) 125

Bellido, B., *see* Moreno, F., (48) (2001) 133

Beltrán, A., *see* Tedeschi, A., (49) (2001) 31

Benyon, R.G., Marcar, N.E., Theiveyanathan, S., Tunningley, W.M. and Nicholson, A.T., Species differences in transpiration on a saline discharge site, (50) (2001) 65

Bhandarkar, D.M., *see* Singh, D.K., (50) (2001) 1

Bhattacharya, A.K., *see* Ramana Rao, K.V., (48) (2001) 169

Bhuiyan, S.I., *see* Mondal, M.K., (47) (2001) 9

Borroto, M., *see* Utset, A., (50) (2001) 53

Bouman, B.A.M. and Tuong, T.P., Field water management to save water and increase its productivity in irrigated lowland rice, (49) (2001) 11

Boyer, D.G., *see* Feldhake, C.M., (50) (2001) 27

Cabrera, F., *see* Moreno, F., (48) (2001) 133

Camacho, E., *see* Reca, J., (48) (2001) 103

Camacho, E., *see* Reca, J., (48) (2001) 117

Chartzoulakis, K., *see* Fisarakis, I., (51) (2001) 13

Cheverry, C., *see* Barbiéro, L., (50) (2001) 229

Choudhary, O.P., Josan, A.S. and Bajwa, M.S., Yield and fibre quality of cotton cultivars as affected by the build-up of sodium in the soils with sustained sodic irrigations under semi-arid conditions, (49) (2001) 1

Christen, E.W. and Spoor, G., Improving mole drainage channel stability in irrigated areas, (48) (2001) 239

Clothier, B.E., *see* Fernández, J.E., (51) (2001) 99

Collopy, J., *see* Mahmood, K., (48) (2001) 1

Cooke, R.A., Badiger, S. and García, A.M., Drainage equations for random and irregular tile drainage systems, (48) (2001) 207

Cornish, P.S., *see* Hollinger, E., (47) (2001) 227

PII: S0378-3774(01)00147-0

Costa, J.L., *see* Sakalauskas, K.M., (50) (2001) 97
Cuevas, M.V., *see* Fernández, J.E., (51) (2001) 29

Dadhwal, V.K., *see* Ray, S.S., (49) (2001) 239
Dale, F., *see* Ayars, J.E., (47) (2001) 243
Dawes, W.R., *see* Wang, H., (48) (2001) 151
Díaz-Espejo, A., *see* Fernández, J.E., (51) (2001) 99
de Juan, J.A., *see* Fabeiro, C., (48) (2001) 255
de Medeiros, G.A., Arruda, F.B., Sakai, E. and Fujiwara, M., The influence of crop canopy on evapotranspiration and crop coefficient of beans (*Phaseolus vulgaris* L.), (49) (2001) 211
Detsis, V., *see* Kosmas, C., (48) (2001) 61
Ducheyne, S., Schadeck, N., Vanongeval, L., Vandendriessche, H. and Feyen, J., Assessment of the parameters of a mechanistic soil–crop–nitrogen simulation model using historic data of experimental field sites in Belgium, (51) (2001) 53
Dunin, F.X., *see* Ward, P.R., (50) (2001) 141

Ejieji, C.J., *see* Gowing, J.W., (47) (2001) 137
Ersahin, S. and Rüstü Karaman, M., Estimating potential nitrate leaching in nitrogen fertilized and irrigated tomato using the computer model NLEAP, (51) (2001) 1
Ersahin, S., Assessment of spatial variability in nitrate leaching to reduce nitrogen fertilizers impact on water quality, (48) (2001) 179
Erskine, W., *see* Katerji, N., (47) (2001) 179

Fabeiro, C., Martín de Santa Olalla, F. and de Juan, J.A., Yield and size of deficit irrigated potatoes, (48) (2001) 255
Facklam, M., *see* Adiku, S.G.K., (47) (2001) 55
Feddes, R.A., *see* Sarwar, A., (50) (2001) 125
Feldhake, C.M., Ritchey, K.D. and Boyer, D.G., Fate of gypsum surface — applied to an Appalachian hill pasture watershed, (50) (2001) 27
Fereres, E., *see* Gómez, J.A., (49) (2001) 65
Fernández, J.E., Moreno, F., Murillo, J.M., Cuevas, M.V. and Kohler, F., Evaluating the effectiveness of a hydrophobic polymer for conserving water and reducing weed infection in a sandy loam soil, (51) (2001) 29
Fernández, J.E., Palomo, M.J., Díaz-Espejo, A., Clothier, B.E., Green, S.R., Girón, I.F. and Moreno, F., Heat-pulse measurements of sap flow in olives for automating irrigation: tests, root flow and diagnostics of water stress, (51) (2001) 99
Fernández, J.E., *see* Moreno, F., (48) (2001) 133
Fernández-Boy, E., *see* Moreno, F., (48) (2001) 133
Feyen, J., *see* Ducheyne, S., (51) (2001) 53
Fisarakis, I., Chartzoulakis, K. and Stavrakas, D., Response of Sultana vines (*V. vinifera* L.) on six rootstocks to NaCl salinity exposure and recovery, (51) (2001) 13
Franco, D.T., *see* Mondal, M.K., (47) (2001) 9
Franco, J.A., *see* Abrisqueta, J.M., (50) (2001) 211
Fujiwara, M., *see* de Medeiros, G.A., (49) (2001) 211

Gajri, P.R., *see* Singh, K.B., (49) (2001) 77
Gao, Q.-Z., *see* Li, X.-Y., (50) (2001) 173
García, A.M., *see* Cooke, R.A., (48) (2001) 207
Gerontidis, St., *see* Kosmas, C., (48) (2001) 61
Ghafoor, A., *see* Qadir, M., (50) (2001) 197
Ghassemi-Golezani, K., *see* Soltani, A., (49) (2001) 225
Giráldez, J.V., *see* Gómez, J.A., (49) (2001) 65
Girón, I.F., *see* Fernández, J.E., (51) (2001) 99
Girón, I.F., *see* Moreno, F., (48) (2001) 133
Gómez, J.A., Giráldez, J.V. and Fereres, E., Rainfall interception by olive trees in relation to leaf area, (49) (2001) 65
Gong, J.-D., *see* Li, X.-Y., (50) (2001) 173
Gowing, J.W. and Ejieji, C.J., Real-time scheduling of supplemental irrigation for potatoes using a decision model and short-term weather forecasts, (47) (2001) 137
Green, S.R., *see* Fernández, J.E., (51) (2001) 99
Guo, A.-H., *see* Li, F.-M., (47) (2001) 25

Hachum, A., *see* Oweis, T., (50) (2001) 109
Hack-ten Broeke, M.J.D., Irrigation management for optimizing crop production and nitrate leaching on grassland, (49) (2001) 97
Hamdy, A., *see* Katerji, N., (47) (2001) 1
Hamdy, A., *see* Katerji, N., (47) (2001) 179
Hamdy, A., *see* Katerji, N., (50) (2001) 83
Hamdy, A., *see* van Hoorn, J.W., (51) (2001) 87
Hecht-Bucholtz, C., *see* Adiku, S.G.K., (47) (2001) 55
Hidalgo, L., *see* Sakalauskas, K.M., (50) (2001) 97
Hollinger, E., Cornish, P.S., Baginska, B., Mann, R. and Kuczera, G., Farm-scale stormwater losses of sediment and nutrients from a market garden near Sydney, Australia, (47) (2001) 227
Huang, M., Shao, M. and Li, Y., Comparison of a modified statistical-dynamic water balance model with the numerical model WAVES and field measurements, (48) (2001) 21

Inoue, M., *see* Nishihara, E., (51) (2001) 217
Inoue, Y., Watanabe, T. and Kitamura, K., Prototype time-domain reflectometry probes for measure-

ment of moisture content near the soil surface for applications to "on-the-move" measurements, (50) (2001) 41
Itoh, T., *see* Sarker, A., (48) (2001) 89

Jaiswal, C.S., *see* Singh, D.K., (50) (2001) 1
Johansson, G., *see* Ulén, B., (49) (2001) 197
Josan, A.S., *see* Choudhary, O.P., (49) (2001) 1

Kaledhonkar, M.J., Tyagi, N.K. and Van Der Zee, S.E.A.T.M., Solute transport modelling in soil for irrigation field experiments with alkali water, (51) (2001) 153
Kanber, R., Köksal, H., Önder, S., Kapur, S. and Sahan, S., Comparison of surge and continuous furrow methods for cotton in the Harran plain, (47) (2001) 119
Kang, S., Zhang, F. and Zhang, J., A simulation model of water dynamics in winter wheat field and its application in a semiarid region, (49) (2001) 115
Kapur, S., *see* Kanber, R., (47) (2001) 119
Kashyap, P.S. and Panda, R.K., Evaluation of evapotranspiration estimation methods and development of crop-coefficients for potato crop in a sub-humid region, (50) (2001) 9
Katerji, N., *see* van Hoorn, J.W., (51) (2001) 87
Katerji, N., van Hoorn, J.W., Hamdy, A. and Mastrorilli, M., Salt tolerance of crops according to three classification methods and examination of some hypothesis about salt tolerance, (47) (2001) 1
Katerji, N., van Hoorn, J.W., Hamdy, A., Mastrorilli, M., Oweis, T. and Erskine, W., Response of two varieties of lentil to soil salanity, (47) (2001) 179
Katerji, N., van Hoorn, J.W., Hamdy, A., Mastrorilli, M., Oweis, T. and Malhotra, R.S., Response to soil salinity of two chickpea varieties differing in drought tolerance, (50) (2001) 83
Keatinge, J.D.H., *see* Mira da Silva, L., (51) (2001) 187
Keatinge, J.D.H., *see* Mira da Silva, L., (51) (2001) 203
Kerkides, P., *see* Poulovassilis, A., (51) (2001) 143
Khooie, F.R., *see* Soltani, A., (49) (2001) 225
Kitamura, K., *see* Inoue, Y., (50) (2001) 41
Kohler, F., *see* Fernández, J.E., (51) (2001) 29
Köksal, H., *see* Kanber, R., (47) (2001) 119
Kondo, K., *see* Nishihara, E., (51) (2001) 217
Kosmas, C., Marathianou, M., Gerontidis, St., Detsis, V., Tsara, M. and Poesen, J., Parameters affecting water vapor adsorption by the soil under semi-arid climatic conditions, (48) (2001) 61
Kuczera, G., *see* Hollinger, E., (47) (2001) 227
Kumar, D., *see* Prasad, A., (50) (2001) 161
Kumar, P., *see* Phukan, S., (47) (2001) 101
Kumar, P., *see* Phukan, S., (51) (2001) 79
Kyllmar, K., *see* Ulén, B., (49) (2001) 197

Laterra, P., *see* Sakalauskas, K.M., (50) (2001) 97
Lesch, S.M., *see* Zeng, L., (48) (2001) 191
Li, F.-M., Liu, X.-L. and Li, S.-Q., Effects of early soil water distribution on the dry matter partition between roots and shoots of winter wheat, (49) (2001) 163
Li, F.-M., Song, Q.-H., Liu, H.-S., Li, F.-R. and Liu, X.-L., Effects of pre-sowing irrigation and phosphorus application on water use and yield of spring wheat under semi-arid conditions, (49) (2001) 173
Li, F.-M., Yan, X., Li, F.-R. and Guo, A.-H., Effects of different water supply regimes on water use and yield performance of spring wheat in a simulated semi-arid environment, (47) (2001) 25
Li, F.-R., *see* Li, F.-M., (47) (2001) 25
Li, F.-R., *see* Li, F.-M., (49) (2001) 173
Li, F.-R., *see* Li, X.-Y., (50) (2001) 173
Li, S.-Q., *see* Li, F.-M., (49) (2001) 163
Li, X.-Y., Gong, J.-D., Gao, Q.-Z. and Li, F.-R., Incorporation of ridge and furrow method of rainfall harvesting with mulching for crop production under semiarid conditions, (50) (2001) 173
Li, Y., *see* Huang, M., (48) (2001) 21
Li, Z. and Zhang, J., Calculation of Field Manning's Roughness Coefficient, (49) (2001) 153
Liakatas, A., *see* Poulovassilis, A., (51) (2001) 143
Lindström, J., *see* Wesström, I., (47) (2001) 85
Linnér, H., *see* Wesström, I., (47) (2001) 85
Liu, C., *see* Wang, H., (48) (2001) 151
Liu, H.-S., *see* Li, F.-M., (49) (2001) 173
Liu, X.-L., *see* Li, F.-M., (49) (2001) 163
Liu, X.-L., *see* Li, F.-M., (49) (2001) 173
López, R., *see* Reca, J., (48) (2001) 103
López, R., *see* Reca, J., (48) (2001) 117

Mahmood, K., Morris, J., Collopy, J. and Slavich, P., Groundwater uptake and sustainability of farm plantations on saline sites in Punjab province, Pakistan, (48) (2001) 1
Malhotra, R.S., *see* Katerji, N., (50) (2001) 83
Mann, R., *see* Hollinger, E., (47) (2001) 227
Marathianou, M., *see* Kosmas, C., (48) (2001) 61
Marcar, N.E., *see* Benyon, R.G., (50) (2001) 65
Martín de Santa Olalla, F., *see* Fabeiro, C., (48) (2001) 255
Mastrorilli, M., *see* Katerji, N., (47) (2001) 1

Mastrorilli, M., *see* Katerji, N., (47) (2001) 179
Mastrorilli, M., *see* Katerji, N., (50) (2001) 83
Mastrorilli, M., *see* van Hoorn, J.W., (51) (2001) 87
Mathew, E.K., Panda, R.K. and Nair, M., Influence of subsurface drainage on crop production and soil quality in a low-lying acid sulphate soil, (47) (2001) 191
Meso, B., *see* Ayars, J.E., (47) (2001) 243
Messing, I., *see* Wesström, I., (47) (2001) 85
Mira da Silva, L., Park, J.R., Keatinge, J.D.H. and Pinto, P.A., I. A decision support system to improve planning and management in large irrigation schemes, (51) (2001) 187
Mira da Silva, L., Park, J.R., Keatinge, J.D.H. and Pinto, P.A., II. The use of the DSSIPM in the Alentejo region of southern Portugal, (51) (2001) 203
Mitchell, J.P., *see* Allaire-Leung, S.E., (48) (2001) 37
Moghaddam, M., *see* Soltani, A., (49) (2001) 225
Mondal, M.K., Bhuiyan, S.I. and Franco, D.T., Soil salinity reduction and prediction of salt dynamics in the coastal ricelands of Bangladesh, (47) (2001) 9
Moreno, F., Cabrera, F., Fernández-Boy, E., Girón, I.F., Fernández, J.E. and Bellido, B., Irrigation with saline water in the reclaimed marsh soils of south-west Spain: impact on soil properties and cotton and sugar beet crops, (48) (2001) 133
Moreno, F., *see* Fernández, J.E., (51) (2001) 29
Moreno, F., *see* Fernández, J.E., (51) (2001) 99
Morris, J., *see* Mahmood, K., (48) (2001) 1
Murillo, J.M., *see* Fernández, J.E., (51) (2001) 29
Murtaza, G., *see* Qadir, M., (50) (2001) 197

Nair, M., *see* Mathew, E.K., (47) (2001) 191
Nakata, N., *see* Nishihara, E., (51) (2001) 217
Nayak, B.R., *see* Phukan, S., (47) (2001) 101
Nayak, B.R., *see* Phukan, S., (51) (2001) 79
Nicholson, A.T., *see* Benyon, R.G., (50) (2001) 65
Nielsen, D.C., *see* Alderfasi, A.A., (47) (2001) 69
Nishihara, E., Inoue, M., Kondo, K., Takahashi, K. and Nakata, N., Spinach yield and nutritional quality affected by controlled soil water matric head, (51) (2001) 217

Önder, S., *see* Kanber, R., (47) (2001) 119
Oweis, T. and Hachum, A., Reducing peak supplemental irrigation demand by extending sowing dates, (50) (2001) 109
Oweis, T., *see* Katerji, N., (47) (2001) 179
Oweis, T., *see* Katerji, N., (50) (2001) 83

Palomo, M.J., *see* Fernández, J.E., (51) (2001) 99
Panda, J., *see* Phukan, S., (47) (2001) 101
Panda, J., *see* Phukan, S., (51) (2001) 79
Panda, R.K., *see* Kashyap, P.S., (50) (2001) 9
Panda, R.K., *see* Mathew, E.K., (47) (2001) 191
Park, J.R., *see* Mira da Silva, L., (51) (2001) 187
Park, J.R., *see* Mira da Silva, L., (51) (2001) 203
Phukan, S., Kumar, P., Panda, J., Nayak, B.R., Tiwari, K.N. and Singh, R.P., Application of drag reducing commercial and purified guargum for reduction of energy requirement of sprinkler irrigation and percolation rate of the soil, (47) (2001) 101
Phukan, S., Kumar, P., Panda, J., Nayak, B.R., Tiwari, K.N. and Singh, R.P., Erratum to "Application of drag reducing commercial and purified guargum for reduction of energy requirement of sprinkler irrigation and percolation rate of the soil" [Agric. Water Manage. 47 (2001) 101–118], (51) (2001) 79
Pinto, P.A., *see* Mira da Silva, L., (51) (2001) 187
Pinto, P.A., *see* Mira da Silva, L., (51) (2001) 203
Poesen, J., *see* Kosmas, C., (48) (2001) 61
Poulovassilis, A., Anadranistakis, M., Liakatas, A., Alexandris, S. and Kerkides, P., Semi-empirical approach for estimating actual evapotranspiration in Greece, (51) (2001) 143
Prasad, A., Kumar, D. and Singh, D.V., Effect of residual sodium carbonate in irrigation water on the soil sodication and yield of palmarosa (*Cymbopogon martinni*) and lemongrass (*Cymbopogon flexuosus*), (50) (2001) 161

Qadir, M., Ghafoor, A. and Murtaza, G., Use of saline–sodic waters through phytoremediation of calcareous saline–sodic soils, (50) (2001) 197

Ramana Rao, K.V. and Bhattacharya, A.K., Salinity distribution in paddy root zone under subsurface drainage, (48) (2001) 169
Ray, S.S. and Dadhwal, V.K., Estimation of crop evapotranspiration of irrigation command area using remote sensing and GIS, (49) (2001) 239
Reca, J., Roldán, J., Alcaide, M., López, R. and Camacho, E., Optimisation model for water allocation in deficit irrigation systems. I. Description of the model, (48) (2001) 103
Reca, J., Roldán, J., Alcaide, M., López, R. and Camacho, E., Optimisation model for water allocation in deficit irrigation systems. II. Application to the Bémbezar irrigation system, (48) (2001) 117
Reddy, K.S., *see* Singh, D.K., (50) (2001) 1
Régeard, A., *see* Barbiéro, L., (50) (2001) 229

Renault, D., Re-engineering irrigation management and system operations, (47) (2001) 211
Renger, M., *see* Adiku, S.G.K., (47) (2001) 55
Rinaldi, M., Application of EPIC model for irrigation scheduling of sunflower in Southern Italy, (49) (2001) 185
Ritchey, K.D., *see* Feldhake, C.M., (50) (2001) 27
Ro, H.-M., Water use of young 'Fuji' apple trees at three soil moisture regimes in drainage lysimeters, (50) (2001) 185
Roldán, J., *see* Reca, J., (48) (2001) 103
Roldán, J., *see* Reca, J., (48) (2001) 117
Ruiz, A., *see* Abrisqueta, J.M., (50) (2001) 211
Rüstü Karaman, M., *see* Ersahin, S., (51) (2001) 1

Sahan, S., *see* Kanber, R., (47) (2001) 119
Sakai, E., *see* de Medeiros, G.A., (49) (2001) 211
Sakalauskas, K.M., Costa, J.L., Laterra, P., Hidalgo, L. and Aguirrezabal, L.A.N., Effects of burning on soil-water content and water use in a *Paspalum quadrifarium* grassland, (50) (2001) 97
Sammis, T.W., *see* Asare, D.K., (48) (2001) 225
Samra, J.S., *see* Sharma, N.K., (51) (2001) 173
Sanden, B.L., *see* Allaire-Leung, S.E., (48) (2001) 37
Sarker, A. and Itoh, T., Design principles in long-enduring institutions of Japanese irrigation common-pool resources, (48) (2001) 89
Sarwar, A., Bastiaanssen, W.G.M. and Feddes, R.A., Irrigation water distribution and long-term effects on crop and environment, (50) (2001) 125
Schadeck, N., *see* Ducheyne, S., (51) (2001) 53
Schoneman, R.A., *see* Ayars, J.E., (47) (2001) 243
Sepaskhah, A.R. and Andam, M., Crop coefficient of sesame in a semi-arid region of I.R. Iran, (49) (2001) 51
Shannon, M.C., *see* Zeng, L., (48) (2001) 191
Shao, M., *see* Huang, M., (48) (2001) 21
Sharma, N.K., Samra, J.S. and Singh, H.P., Influence of boundary plantation of poplar (*Populus deltoides* M.) on soil–water use and water use efficiency of wheat, (51) (2001) 173
Shouse, P., *see* Ayars, J.E., (47) (2001) 243
Singh, D.K., Jaiswal, C.S., Reddy, K.S., Singh, R.M. and Bhandarkar, D.M., Optimal cropping pattern in a canal command area, (50) (2001) 1
Singh, D.V., *see* Prasad, A., (50) (2001) 161
Singh, H.P., *see* Sharma, N.K., (51) (2001) 173
Singh, K.B., Gajri, P.R. and Arora, V.K., Modelling the effects of soil and water management practices on the water balance and performance of rice, (49) (2001) 77
Singh, R.M., *see* Singh, D.K., (50) (2001) 1
Singh, R.P., *see* Phukan, S., (47) (2001) 101
Singh, R.P., *see* Phukan, S., (51) (2001) 79
Sitze, D.O., *see* Asare, D.K., (48) (2001) 225
Skaggs, R.K., Predicting drip irrigation use and adoption in a desert region, (51) (2001) 125
Slavich, P., *see* Mahmood, K., (48) (2001) 1
Smeal, D., *see* Asare, D.K., (48) (2001) 225
Soltani, A., Khooie, F.R., Ghassemi-Golezani, K. and Moghaddam, M., A simulation study of chickpea crop response to limited irrigation in a semiarid environment, (49) (2001) 225
Song, Q.-H., *see* Li, F.-M., (49) (2001) 173
Spoor, G., *see* Christen, E.W., (48) (2001) 239
Srivastava, R.C., Methodology for design of water harvesting system for high rainfall areas, (47) (2001) 37
Stavrakas, D., *see* Fisarakis, I., (51) (2001) 13
Stroosnijder, L., *see* Tesfai, M., (48) (2001) 51

Takahashi, K., *see* Nishihara, E., (51) (2001) 217
Tedeschi, A., Beltrán, A. and Aragüés, R., Irrigation management and hydrosalinity balance in a semi-arid area of the middle Ebro river basin (Spain), (49) (2001) 31
Tesfai, M. and Stroosnijder, L., The Eritrean spate irrigation system, (48) (2001) 51
Theiveyanathan, S., *see* Benyon, R.G., (50) (2001) 65
Tiwari, K.N., *see* Phukan, S., (47) (2001) 101
Tiwari, K.N., *see* Phukan, S., (51) (2001) 79
Tsara, M., *see* Kosmas, C., (48) (2001) 61
Tunningley, W.M., *see* Benyon, R.G., (50) (2001) 65
Tuong, T.P., *see* Bouman, B.A.M., (49) (2001) 11
Tyagi, N.K., *see* Kaledhonkar, M.J., (51) (2001) 153
Ulén, B., Johansson, G. and Kyllmar, K., Model predictions and long-term trends in phosphorus transport from arable lands in Sweden, (49) (2001) 197

Utset, A. and Borroto, M., A modeling-GIS approach for assessing irrigation effects on soil salinisation under global warming conditions, (50) (2001) 53

Valles, V., *see* Barbiéro, L., (50) (2001) 229
Van Der Zee, S.E.A.T.M., *see* Kaledhonkar, M.J., (51) (2001) 153
van Hoorn, J.W., Katerji, N., Hamdy, A. and Mastrorilli, M., Effect of salinity on yield and nitrogen uptake of four grain legumes and on biological nitrogen contribution from the soil, (51) (2001) 87

van Hoorn, J.W., *see* Katerji, N., (47) (2001) 1
van Hoorn, J.W., *see* Katerji, N., (47) (2001) 179
van Hoorn, J.W., *see* Katerji, N., (50) (2001) 83
Vandendriessche, H., *see* Ducheyne, S., (51) (2001) 53
Vanongeval, L., *see* Ducheyne, S., (51) (2001) 53

Wang, H., Zhang, L., Dawes, W.R. and Liu, C., Improving water use efficiency of irrigated crops in the North China Plain — measurements and modelling, (48) (2001) 151
Ward, P.R. and Dunin, F.X., Growing season evapotranspiration from duplex soils in south-western Australia, (50) (2001) 141
Watanabe, T., *see* Inoue, Y., (50) (2001) 41
Wessolek, G., *see* Adiku, S.G.K., (47) (2001) 55
Wesström, I., Messing, I., Linnér, H. and Lindström, J., Controlled drainage — effects on drain outflow and water quality, (47) (2001) 85
Wichelns, D., The role of 'virtual water' in efforts to achieve food security and other national goals, with an example from Egypt, (49) (2001) 131
Wu, L., *see* Allaire-Leung, S.E., (48) (2001) 37

Yan, X., *see* Li, F.-M., (47) (2001) 25

Zaradny, H., Application of confined aquifer theory for verification of solutions of water flow towards a drain in saturated–unsaturated soil, (47) (2001) 155
Zeng, L., Shannon, M.C. and Lesch, S.M., Timing of salinity stress affects rice growth and yield components, (48) (2001) 191
Zhang, F., *see* Kang, S., (49) (2001) 115
Zhang, H., *see* Asare, D.K., (48) (2001) 225
Zhang, J., *see* Kang, S., (49) (2001) 115
Zhang, J., *see* Li, Z., (49) (2001) 153
Zhang, L., *see* Wang, H., (48) (2001) 151

ELSEVIER

Agricultural Water Management 51 (2001) 237–253

Agricultural water management

www.elsevier.com/locate/agwat

Cumulative Subject Index, Volumes 47–51

Acacia
Groundwater uptake and sustainability of farm plantations on saline sites in Punjab province, Pakistan, 48 (2001) 1

Acid sulphate soils
Influence of subsurface drainage on crop production and soil quality in a low-lying acid sulphate soil, 47 (2001) 191

Actual evapotranspiration
Semi-empirical approach for estimating actual evapotranspiration in Greece, 51 (2001) 143

Adoption
Predicting drip irrigation use and adoption in a desert region, 51 (2001) 125

Agricultural runoff
Farm-scale stormwater losses of sediment and nutrients from a market garden near Sydney, Australia, 47 (2001) 227

Alentejo
II. The use of the DSSIPM in the Alentejo region of southern Portugal, 51 (2001) 203

Alkali solute transport
Solute transport modelling in soil for irrigation field experiments with alkali water, 51 (2001) 153

Alkali water irrigation
Solute transport modelling in soil for irrigation field experiments with alkali water, 51 (2001) 153

Alqueva
II. The use of the DSSIPM in the Alentejo region of southern Portugal, 51 (2001) 203

Analytical solutions for alkali conditions
Solute transport modelling in soil for irrigation field experiments with alkali water, 51 (2001) 153

Apricot tree
Water balance of apricot trees (*Prunus armeniaca* L. cv. Búlida) under drip irrigation, 50 (2001) 211

Area utilization
Optimal cropping pattern in a canal command area, 50 (2001) 1

Atrazine leaching
Modeling an irrigation management strategy for minimizing the leaching of atrazine, 48 (2001) 225

Automated irrigation scheduling
Water use of young 'Fuji' apple trees at three soil moisture regimes in drainage lysimeters, 50 (2001) 185

Automated irrigation system
Spinach yield and nutritional quality affected by controlled soil water matric head, 51 (2001) 217

Beans
Simulation of the dry matter production and seed yield of common beans under varying soil water and salinity conditions, 47 (2001) 55
The influence of crop canopy on evapotranspiration and crop coefficient of beans (*Phaseolus vulgaris* L.), 49 (2001) 211

Boll number
Yield and fibre quality of cotton cultivars as affected by the build-up of sodium in the soils with sustained sodic irrigations under semi-arid conditions, 49 (2001) 1

Boll weight
Yield and fibre quality of cotton cultivars as affected by the build-up of sodium in the soils with sustained sodic irrigations under semi-arid conditions, 49 (2001) 1

PII: S378-3774(01)00146-9

Border irrigation
Calculation of Field Manning's Roughness Coefficient, 49 (2001) 153

Border irrigation model
Calculation of Field Manning's Roughness Coefficient, 49 (2001) 153

Broadbean
Salt tolerance of crops according to three classification methods and examination of some hypothesis about salt tolerance, 47 (2001) 1

Buried clay pot
Buried clay pot irrigation: a little known but very efficient traditional method of irrigation, 48 (2001) 79

Canopy conductance
Groundwater uptake and sustainability of farm plantations on saline sites in Punjab province, Pakistan, 48 (2001) 1

Canopy temperature
Use of crop water stress index for monitoring water status and scheduling irrigation in wheat, 47 (2001) 69

Catchment/command area ratio
Methodology for design of water harvesting system for high rainfall areas, 47 (2001) 37

Cation composition
Effect of residual sodium carbonate in irrigation water on the soil sodication and yield of palmarosa (*Cymbopogon martinni*) and lemongrass (*Cymbopogon flexuosus*), 50 (2001) 161

Ceramic
Buried clay pot irrigation: a little known but very efficient traditional method of irrigation, 48 (2001) 79

Chickpea
A simulation study of chickpea crop response to limited irrigation in a semiarid environment, 49 (2001) 225
Response to soil salinity of two chickpea varieties differing in drought tolerance, 50 (2001) 83

Chloride balance
Groundwater uptake and sustainability of farm plantations on saline sites in Punjab province, Pakistan, 48 (2001) 1

Clay soils
Improving mole drainage channel stability in irrigated areas, 48 (2001) 239

Coastal salinity
Soil salinity reduction and prediction of salt dynamics in the coastal ricelands of Bangladesh, 47 (2001) 9

Common-pool resources
Design principles in long-enduring institutions of Japanese irrigation common-pool resources, 48 (2001) 89

Confined aquifer theory
Application of confined aquifer theory for verification of solutions of water flow towards a drain in saturated–unsaturated soil, 47 (2001) 155

Conservation
Predicting drip irrigation use and adoption in a desert region, 51 (2001) 125

Continuous furrow
Comparison of surge and continuous furrow methods for cotton in the Harran plain, 47 (2001) 119

Controlled deficit irrigation
Yield and size of deficit irrigated potatoes, 48 (2001) 255

Controlled drainage
Controlled drainage — effects on drain outflow and water quality, 47 (2001) 85

Cotton
Comparison of surge and continuous furrow methods for cotton in the Harran plain, 47 (2001) 119
Managing subsurface drip irrigation in the presence of shallow ground water, 47 (2001) 243
Irrigation with saline water in the reclaimed marsh soils of south-west Spain: impact on soil properties and cotton and sugar beet crops, 48 (2001) 133

Cotton cultivars
Yield and fibre quality of cotton cultivars as affected by the build-up of sodium in the soils with sustained sodic irrigations under semi-arid conditions, 49 (2001) 1

Crop coefficient
The influence of crop canopy on evapotranspiration and crop coefficient of beans (*Phaseolus vulgaris* L.), 49 (2001) 211
Estimation of crop evapotranspiration of irrigation command area using remote sensing and GIS, 49 (2001) 239
Evaluation of evapotranspiration estimation methods and development of crop-coefficients for potato crop in a sub-humid region, 50 (2001) 9
Water use of young 'Fuji' apple trees at three soil moisture regimes in drainage lysimeters, 50 (2001) 185

Crop ET
Evaluation of evapotranspiration estimation methods and development of crop-coefficients for potato crop in a sub-humid region, 50 (2001) 9

Crop evapotranspiration
Estimation of crop evapotranspiration of irrigation command area using remote sensing and GIS, 49 (2001) 239

Crop growth simulation
Simulation of the dry matter production and seed yield of common beans under varying soil water and salinity conditions, 47 (2001) 55

Crop production
Irrigation water distribution and long-term effects on crop and environment, 50 (2001) 125

Crop salt tolerance
Salt tolerance of crops according to three classification methods and examination of some hypothesis about salt tolerance, 47 (2001) 1

Crop water stress
Response of two varieties of lentil to soil salanity, 47 (2001) 179
Response to soil salinity of two chickpea varieties differing in drought tolerance, 50 (2001) 83

Crop water use efficiency
Response of two varieties of lentil to soil salanity, 47 (2001) 179
Response to soil salinity of two chickpea varieties differing in drought tolerance, 50 (2001) 83

Cropping pattern
Optimal cropping pattern in a canal command area, 50 (2001) 1

CWSI
Use of crop water stress index for monitoring water status and scheduling irrigation in wheat, 47 (2001) 69

Dairy farming
Irrigation management for optimizing crop production and nitrate leaching on grassland, 49 (2001) 97

De-alkalinisation
Residual alkalinity as tracer to estimate the changes induced by forage cultivation in a non-saline irrigated sodic soil, 50 (2001) 229

Decision support systems
I. A decision support system to improve planning and management in large irrigation schemes, 51 (2001) 187
II. The use of the DSSIPM in the Alentejo region of southern Portugal, 51 (2001) 203

Decoupling coefficient
Groundwater uptake and sustainability of farm plantations on saline sites in Punjab province, Pakistan, 48 (2001) 1

Deficit irrigation
Optimisation model for water allocation in deficit irrigation systems. I. Description of the model, 48 (2001) 103
Optimisation model for water allocation in deficit irrigation systems. II. Application to the Bémbezar irrigation system, 48 (2001) 117

Design principles
Design principles in long-enduring institutions of Japanese irrigation common-pool resources, 48 (2001) 89

Dispersion coefficient
Salinity distribution in paddy root zone under subsurface drainage, 48 (2001) 169

Distribution uniformity
Nitrate leaching and soil nitrate content as affected by irrigation uniformity in a carrot field, 48 (2001) 37

Drag reduction
Application of drag reducing commercial and purified guargum for reduction of energy requirement of sprinkler irrigation and percolation rate of the soil, 47 (2001) 101

Drain outflow
Controlled drainage — effects on drain outflow and water quality, 47 (2001) 85

Drainage
Application of confined aquifer theory for verification of solutions of water flow towards a drain in saturated–unsaturated soil, 47 (2001) 155
Irrigation with saline water in the reclaimed marsh soils of south-west Spain: impact on soil properties and cotton and sugar beet crops, 48 (2001) 133
Drainage equations for random and irregular tile drainage systems, 48 (2001) 207
Irrigation management and hydrosalinity balance in a semi-arid area of the middle Ebro river basin (Spain), 49 (2001) 31

Drainage flow
Model predictions and long-term trends in phosphorus transport from arable lands in Sweden, 49 (2001) 197

Drainage water quality
Use of saline–sodic waters through phytoremediation of calcareous saline–sodic soils, 50 (2001) 197

Drip irrigation
Managing subsurface drip irrigation in the presence of shallow ground water, 47 (2001) 243
Water balance of apricot trees (*Prunus armeniaca* L. cv. Búlida) under drip irrigation, 50 (2001) 211
Predicting drip irrigation use and adoption in a desert region, 51 (2001) 125

Drought tolerance
Response to soil salinity of two chickpea varieties differing in drought tolerance, 50 (2001) 83

Dry matter partition
Effects of early soil water distribution on the dry matter partition between roots and shoots of winter wheat, 49 (2001) 163

Durum wheat
Salt tolerance of crops according to three classification methods and examination of some hypothesis about salt tolerance, 47 (2001) 1

Echinochloa stagnina
Residual alkalinity as tracer to estimate the changes induced by forage cultivation in a non-saline irrigated sodic soil, 50 (2001) 229

Economic
The role of 'virtual water' in efforts to achieve food security and other national goals, with an example from Egypt, 49 (2001) 131
Application of EPIC model for irrigation scheduling of sunflower in Southern Italy, 49 (2001) 185

Efficient irrigation
Buried clay pot irrigation: a little known but very efficient traditional method of irrigation, 48 (2001) 79

Egypt
The role of 'virtual water' in efforts to achieve food security and other national goals, with an example from Egypt, 49 (2001) 131

Electric tensiometer
Spinach yield and nutritional quality affected by controlled soil water matric head, 51 (2001) 217

Embolisms
Heat-pulse measurements of sap flow in olives for automating irrigation: tests, root flow and diagnostics of water stress, 51 (2001) 99

Energy balance
Growing season evapotranspiration from duplex soils in south-western Australia, 50 (2001) 141

Energy requirement
Application of drag reducing commercial and purified guargum for reduction of energy requirement of sprinkler irrigation and percolation rate of the soil, 47 (2001) 101

EPIC model
Application of EPIC model for irrigation scheduling of sunflower in Southern Italy, 49 (2001) 185

Eritrea
The Eritrean spate irrigation system, 48 (2001) 51

ESP
Yield and fibre quality of cotton cultivars as affected by the build-up of sodium in the soils with sustained sodic irrigations under semi-arid conditions, 49 (2001) 1

ET_0
Crop coefficient of sesame in a semi-arid region of I.R. Iran, 49 (2001) 51

ET_p
Crop coefficient of sesame in a semi-arid region of I.R. Iran, 49 (2001) 51

Eucalyptus
Groundwater uptake and sustainability of farm plantations on saline sites in Punjab province, Pakistan, 48 (2001) 1

Eucalyptus cladocalyx
Species differences in transpiration on a saline discharge site, 50 (2001) 65

Eucalyptus leucoxylon
Species differences in transpiration on a saline discharge site, 50 (2001) 65

Eucalyptus occidentalis
Species differences in transpiration on a saline discharge site, 50 (2001) 65

Eucalyptus spathulata
Species differences in transpiration on a saline discharge site, 50 (2001) 65

Farm manure
Use of saline–sodic waters through phytoremediation of calcareous saline–sodic soils, 50 (2001) 197

Fibre quality
Yield and fibre quality of cotton cultivars as affected by the build-up of sodium in the soils with sustained sodic irrigations under semi-arid conditions, 49 (2001) 1

Field measurement
Comparison of a modified statistical-dynamic water balance model with the numerical model WAVES and field measurements, 48 (2001) 21

Fire management
Effects of burning on soil-water content and water use in a *Paspalum quadrifarium* grassland, 50 (2001) 97

Food security
The role of 'virtual water' in efforts to achieve food security and other national goals, with an example from Egypt, 49 (2001) 131

Fuji (*Malus domestica* Borkh.)
Water use of young 'Fuji' apple trees at three soil moisture regimes in drainage lysimeters, 50 (2001) 185

Genotypes
Effects of different water supply regimes on water use and yield performance of spring wheat in a simulated semi-arid environment, 47 (2001) 25

Geographic Information System
A modeling-GIS approach for assessing irrigation effects on soil salinisation under global warming conditions, 50 (2001) 53

GIS
Estimation of crop evapotranspiration of irrigation command area using remote sensing and GIS, 49 (2001) 239

Global warming
A modeling-GIS approach for assessing irrigation effects on soil salinisation under global warming conditions, 50 (2001) 53

Grain legumes
Effect of salinity on yield and nitrogen uptake of four grain legumes and on biological nitrogen contribution from the soil, 51 (2001) 87

Grain yield
Modelling the effects of soil and water management practices on the water balance and performance of rice, 49 (2001) 77
Effects of pre-sowing irrigation and phosphorus application on water use and yield of spring wheat under semi-arid conditions, 49 (2001) 173

Ground cover
The influence of crop canopy on evapotranspiration and crop coefficient of beans (*Phaseolus vulgaris* L.), 49 (2001) 211

Groundwater flow
Application of confined aquifer theory for verification of solutions of water flow towards a drain in saturated–unsaturated soil, 47 (2001) 155

Groundwater pollution
Estimating potential nitrate leaching in nitrogen fertilized and irrigated tomato using the computer model NLEAP, 51 (2001) 1

Growing degree-days
Crop coefficient of sesame in a semi-arid region of I.R. Iran, 49 (2001) 51

Growth
Modelling the effects of soil and water management practices on the water balance and performance of rice, 49 (2001) 77
Response of Sultana vines (*V. vinifera* L.) on six rootstocks to NaCl salinity exposure and recovery, 51 (2001) 13

Guargum
Application of drag reducing commercial and purified guargum for reduction of energy requirement of sprinkler irrigation and percolation rate of the soil, 47 (2001) 101

***Guilspare*®**
Evaluating the effectiveness of a hydrophobic polymer for conserving water and reducing weed infection in a sandy loam soil, 51 (2001) 29

Gypsum
Use of saline–sodic waters through phytoremediation of calcareous saline–sodic soils, 50 (2001) 197

Gypsum application
Solute transport modelling in soil for irrigation field experiments with alkali water, 51 (2001) 153

Gypsum leaching
Fate of gypsum surface — applied to an Appalachian hill pasture watershed, 50 (2001) 27

Heat pulse
Heat-pulse measurements of sap flow in olives for automating irrigation: tests, root flow and diagnostics of water stress, 51 (2001) 99

Hydraulic behaviour
Heat-pulse measurements of sap flow in olives for automating irrigation: tests, root flow and diagnostics of water stress, 51 (2001) 99

Hydrological cover complex
Methodology for design of water harvesting system for high rainfall areas, 47 (2001) 37

Hydrological modeling
A modeling-GIS approach for assessing irrigation effects on soil salinisation under global warming conditions, 50 (2001) 53

Hydrophobicity
Evaluating the effectiveness of a hydrophobic polymer for conserving water and reducing weed infection in a sandy loam soil, 51 (2001) 29

Hydrosalinity balance
Irrigation management and hydrosalinity balance in a semi-arid area of the middle Ebro river basin (Spain), 49 (2001) 31

Indigenous knowledge
The Eritrean spate irrigation system, 48 (2001) 51

Infiltration
Comparison of surge and continuous furrow methods for cotton in the Harran plain, 47 (2001) 119

Intensive horticulture
Farm-scale stormwater losses of sediment and nutrients from a market garden near Sydney, Australia, 47 (2001) 227

Ion content
Response of Sultana vines (*V. vinifera* L.) on six rootstocks to NaCl salinity exposure and recovery, 51 (2001) 13

Irregular drainage systems
Drainage equations for random and irregular tile drainage systems, 48 (2001) 207

Irrigation
Re-engineering irrigation management and system operations, 47 (2001) 211
Groundwater uptake and sustainability of farm plantations on saline sites in Punjab province, Pakistan, 48 (2001) 1
Irrigation with saline water in the reclaimed marsh soils of south-west Spain: impact on soil properties and cotton and sugar beet crops, 48 (2001) 133
Improving mole drainage channel stability in irrigated areas, 48 (2001) 239
Field water management to save water and increase its productivity in irrigated lowland rice, 49 (2001) 11
The influence of crop canopy on evapotranspiration and crop coefficient of beans (*Phaseolus vulgaris* L.), 49 (2001) 211

Irrigation efficiency
Irrigation management for optimizing crop production and nitrate leaching on grassland, 49 (2001) 97

Irrigation institutions
Design principles in long-enduring institutions of Japanese irrigation common-pool resources, 48 (2001) 89

Irrigation management
Modeling an irrigation management strategy for minimizing the leaching of atrazine, 48 (2001) 225
Irrigation management and hydrosalinity balance in a semi-arid area of the middle Ebro river basin (Spain), 49 (2001) 31

Irrigation performances
Comparison of surge and continuous furrow methods for cotton in the Harran plain, 47 (2001) 119

Irrigation regime
Nitrate leaching and soil nitrate content as affected by irrigation uniformity in a carrot field, 48 (2001) 37

Irrigation scheduling
Use of crop water stress index for monitoring water status and scheduling irrigation in wheat, 47 (2001) 69
Managing subsurface drip irrigation in the presence of shallow ground water, 47 (2001) 243
Application of EPIC model for irrigation scheduling of sunflower in Southern Italy, 49 (2001) 185
Reducing peak supplemental irrigation demand by extending sowing dates, 50 (2001) 109

Irrigation scheme
Improving water use efficiency of irrigated crops in the North China Plain — measurements and modelling, 48 (2001) 151
I. A decision support system to improve planning and management in large irrigation schemes, 51 (2001) 187
II. The use of the DSSIPM in the Alentejo region of southern Portugal, 51 (2001) 203

Irrigation system
Nitrate leaching and soil nitrate content as affected by irrigation uniformity in a carrot field, 48 (2001) 37

Irrigation system capacity
Reducing peak supplemental irrigation demand by extending sowing dates, 50 (2001) 109

Irrigation water distribution
Irrigation water distribution and long-term effects on crop and environment, 50 (2001) 125

Irrigation water requirement
Optimal cropping pattern in a canal command area, 50 (2001) 1

K_c
Crop coefficient of sesame in a semi-arid region of I.R. Iran, 49 (2001) 51

Land improvement districts
Design principles in long-enduring institutions of Japanese irrigation common-pool resources, 48 (2001) 89

Leaching potential
Irrigation management for optimizing crop production and nitrate leaching on grassland, 49 (2001) 97

Leaf area
Species differences in transpiration on a saline discharge site, 50 (2001) 65
Response of Sultana vines (*V. vinifera* L.) on six rootstocks to NaCl salinity exposure and recovery, 51 (2001) 13

Leaf area index
Crop coefficient of sesame in a semi-arid region of I.R. Iran, 49 (2001) 51
The influence of crop canopy on evapotranspiration and crop coefficient of beans (*Phaseolus vulgaris* L.), 49 (2001) 211

Leaf water potential
Response of two varieties of lentil to soil salanity, 47 (2001) 179
Response to soil salinity of two chickpea varieties differing in drought tolerance, 50 (2001) 83

Lemongrass
Effect of residual sodium carbonate in irrigation water on the soil sodication and yield of palmarosa (*Cymbopogon martinni*) and lemongrass (*Cymbopogon flexuosus*), 50 (2001) 161

Lentil
Response of two varieties of lentil to soil salanity, 47 (2001) 179

Limited irrigation
A simulation study of chickpea crop response to limited irrigation in a semiarid environment, 49 (2001) 225

Linear programming model
Optimal cropping pattern in a canal command area, 50 (2001) 1

Lysimeter
Evaluation of evapotranspiration estimation methods and development of crop-coefficients for potato crop in a sub-humid region, 50 (2001) 9
Estimating potential nitrate leaching in nitrogen fertilized and irrigated tomato using the computer model NLEAP, 51 (2001) 1

Maize
Salt tolerance of crops according to three classification methods and examination of some hypothesis about salt tolerance, 47 (2001) 1
Evaluating the effectiveness of a hydrophobic polymer for conserving water and reducing weed infection in a sandy loam soil, 51 (2001) 29

Management
Re-engineering irrigation management and system operations, 47 (2001) 211

Manning's roughness coefficient
Calculation of Field Manning's Roughness Coefficient, 49 (2001) 153

Mean correlation distance
Assessment of spatial variability in nitrate leaching to reduce nitrogen fertilizers impact on water quality, 48 (2001) 179

Mineral nitrogen content in soil
Controlled drainage — effects on drain outflow and water quality, 47 (2001) 85

Model
A simulation study of chickpea crop response to limited irrigation in a semiarid environment, 49 (2001) 225

Model parameters
Assessment of the parameters of a mechanistic soil–crop–nitrogen simulation model using historic data of experimental field sites in Belgium, 51 (2001) 53

Modeling
Modeling an irrigation management strategy for minimizing the leaching of atrazine, 48 (2001) 225
Irrigation water distribution and long-term effects on crop and environment, 50 (2001) 125

Modified statistical-dynamic water balance model
Comparison of a modified statistical-dynamic water balance model with the numerical model WAVES and field measurements, 48 (2001) 21

Moisture extraction
Influence of boundary plantation of poplar (*Populus deltoides* M.) on soil–water use and water use efficiency of wheat, 51 (2001) 173

Mole drainage
Improving mole drainage channel stability in irrigated areas, 48 (2001) 239

Mulch
Incorporation of ridge and furrow method of rainfall harvesting with mulching for crop production under semiarid conditions, 50 (2001) 173

Mulching
Parameters affecting water vapor adsorption by the soil under semi-arid climatic conditions, 48 (2001) 61

Niger
Residual alkalinity as tracer to estimate the changes induced by forage cultivation in a non-saline irrigated sodic soil, 50 (2001) 229

Nitrate concentration
Irrigation management for optimizing crop production and nitrate leaching on grassland, 49 (2001) 97

Nitrate leaching
Assessment of spatial variability in nitrate leaching to reduce nitrogen fertilizers impact on water quality, 48 (2001) 179
Estimating potential nitrate leaching in nitrogen fertilized and irrigated tomato using the computer model NLEAP, 51 (2001) 1
Assessment of the parameters of a mechanistic soil–crop–nitrogen simulation model using historic data of experimental field sites in Belgium, 51 (2001) 53

Nitrogen
Farm-scale stormwater losses of sediment and nutrients from a market garden near Sydney, Australia, 47 (2001) 227

Nitrogen fixation
Effect of salinity on yield and nitrogen uptake of four grain legumes and on biological nitrogen contribution from the soil, 51 (2001) 87

Nitrogen leaching
Controlled drainage — effects on drain outflow and water quality, 47 (2001) 85

Nitrogen uptake
Effect of salinity on yield and nitrogen uptake of four grain legumes and on biological nitrogen contribution from the soil, 51 (2001) 87

NLEAP
Assessment of spatial variability in nitrate leaching to reduce nitrogen fertilizers impact on water quality, 48 (2001) 179

NLEAP computer program
Estimating potential nitrate leaching in nitrogen fertilized and irrigated tomato using the computer model NLEAP, 51 (2001) 1

Numerical and analytical solution
Application of confined aquifer theory for verification of solutions of water flow towards a drain in saturated–unsaturated soil, 47 (2001) 155

NW China
Incorporation of ridge and furrow method of rainfall harvesting with mulching for crop production under semiarid conditions, 50 (2001) 173

Olive
Heat-pulse measurements of sap flow in olives for automating irrigation: tests, root flow and diagnostics of water stress, 51 (2001) 99

Olive trees
Rainfall interception by olive trees in relation to leaf area, 49 (2001) 65

Operations
Re-engineering irrigation management and system operations, 47 (2001) 211

Optimisation
Optimisation model for water allocation in deficit irrigation systems. I. Description of the model, 48 (2001) 103
Optimisation model for water allocation in deficit irrigation systems. II. Application to the Bémbezar irrigation system, 48 (2001) 117

Optimization of irrigation systems
Reducing peak supplemental irrigation demand by extending sowing dates, 50 (2001) 109

Optimum command area
Methodology for design of water harvesting system for high rainfall areas, 47 (2001) 37

Osmotic adjustment
Response of two varieties of lentil to soil salanity, 47 (2001) 179
Response to soil salinity of two chickpea varieties differing in drought tolerance, 50 (2001) 83

Pakistan
Groundwater uptake and sustainability of farm plantations on saline sites in Punjab province, Pakistan, 48 (2001) 1

Palmarosa
Effect of residual sodium carbonate in irrigation water on the soil sodication and yield of palmarosa (*Cymbopogon martinni*) and lemongrass (*Cymbopogon flexuosus*), 50 (2001) 161

Pan evaporation
Crop coefficient of sesame in a semi-arid region of I.R. Iran, 49 (2001) 51

Pasture
Fate of gypsum surface — applied to an Appalachian hill pasture watershed, 50 (2001) 27
Growing season evapotranspiration from duplex soils in south-western Australia, 50 (2001) 141

Percolation
Application of drag reducing commercial and purified guargum for reduction of energy requirement of sprinkler irrigation and percolation rate of the soil, 47 (2001) 101

Phosphorous losses
Controlled drainage — effects on drain outflow and water quality, 47 (2001) 85

Phosphorus
Farm-scale stormwater losses of sediment and nutrients from a market garden near Sydney, Australia, 47 (2001) 227

Phosphorus application
Effects of pre-sowing irrigation and phosphorus application on water use and yield of spring wheat under semi-arid conditions, 49 (2001) 173

Phosphorus transport
Model predictions and long-term trends in phosphorus transport from arable lands in Sweden, 49 (2001) 197

Photosynthesis
Response of Sultana vines (*V. vinifera* L.) on six rootstocks to NaCl salinity exposure and recovery, 51 (2001) 13

Pitcher
Buried clay pot irrigation: a little known but very efficient traditional method of irrigation, 48 (2001) 79

Planning and management
I. A decision support system to improve planning and management in large irrigation schemes, 51 (2001) 187
II. The use of the DSSIPM in the Alentejo region of southern Portugal, 51 (2001) 203

Populus deltoides
Influence of boundary plantation of poplar (*Populus deltoides* M.) on soil–water use and water use efficiency of wheat, 51 (2001) 173

Pore water velocity
Salinity distribution in paddy root zone under subsurface drainage, 48 (2001) 169

Porous capsule
Buried clay pot irrigation: a little known but very efficient traditional method of irrigation, 48 (2001) 79

Portugal
I. A decision support system to improve planning and management in large irrigation schemes, 51 (2001) 187
II. The use of the DSSIPM in the Alentejo region of southern Portugal, 51 (2001) 203

Potato
Salt tolerance of crops according to three classification methods and examination of some hypothesis about salt tolerance, 47 (2001) 1
Evaluation of evapotranspiration estimation methods and development of crop-coefficients for potato crop in a sub-humid region, 50 (2001) 9
Real-time scheduling of supplemental irrigation for potatoes using a decision model and short-term weather forecasts, 47 (2001) 137

Pre-sowing irrigation
Effects of pre-sowing irrigation and phosphorus application on water use and yield of spring wheat under semi-arid conditions, 49 (2001) 173

Production function
Yield and size of deficit irrigated potatoes, 48 (2001) 255

Prosopis
Groundwater uptake and sustainability of farm plantations on saline sites in Punjab province, Pakistan, 48 (2001) 1

Rainfall harvesting
Incorporation of ridge and furrow method of rainfall harvesting with mulching for crop production under semiarid conditions, 50 (2001) 173

Rainfall interception
Rainfall interception by olive trees in relation to leaf area, 49 (2001) 65

Rainfed agriculture
Reducing peak supplemental irrigation demand by extending sowing dates, 50 (2001) 109

Re-engineering
Re-engineering irrigation management and system operations, 47 (2001) 211

Reference ET
Evaluation of evapotranspiration estimation methods and development of crop-coefficients for potato crop in a sub-humid region, 50 (2001) 9

Regression model
Model predictions and long-term trends in phosphorus transport from arable lands in Sweden, 49 (2001) 197

Relational databases
I. A decision support system to improve planning and management in large irrigation schemes, 51 (2001) 187

Remote sensing
Use of crop water stress index for monitoring water status and scheduling irrigation in wheat, 47 (2001) 69
Estimation of crop evapotranspiration of irrigation command area using remote sensing and GIS, 49 (2001) 239

Residual alkalinity
Residual alkalinity as tracer to estimate the changes induced by forage cultivation in a non-saline irrigated sodic soil, 50 (2001) 229

Resin bags
Nitrate leaching and soil nitrate content as affected by irrigation uniformity in a carrot field, 48 (2001) 37

Rice
Timing of salinity stress affects rice growth and yield components, 48 (2001) 191
Field water management to save water and increase its productivity in irrigated lowland rice, 49 (2001) 11
Modelling the effects of soil and water management practices on the water balance and performance of rice, 49 (2001) 77

Riceland salinity
Soil salinity reduction and prediction of salt dynamics in the coastal ricelands of Bangladesh, 47 (2001) 9

Ridge and furrow
Incorporation of ridge and furrow method of rainfall harvesting with mulching for crop production under semiarid conditions, 50 (2001) 173

Rock fragments
Parameters affecting water vapor adsorption by the soil under semi-arid climatic conditions, 48 (2001) 61

Root zone salinity
Salinity distribution in paddy root zone under subsurface drainage, 48 (2001) 169

Roots
Heat-pulse measurements of sap flow in olives for automating irrigation: tests, root flow and diagnostics of water stress, 51 (2001) 99

Root–shoot relationship
Effects of early soil water distribution on the dry matter partition between roots and shoots of winter wheat, 49 (2001) 163

Root-sourced signals
Effects of different water supply regimes on water use and yield performance of spring wheat in a simulated semi-arid environment, 47 (2001) 25

Rootstocks
Response of Sultana vines (*V. vinifera* L.) on six rootstocks to NaCl salinity exposure and recovery, 51 (2001) 13

Saline water
Irrigation with saline water in the reclaimed marsh soils of south-west Spain: impact on soil properties and cotton and sugar beet crops, 48 (2001) 133

Salinity
Irrigation management and hydrosalinity balance in a semi-arid area of the middle Ebro river basin (Spain), 49 (2001) 31
Species differences in transpiration on a saline discharge site, 50 (2001) 65
Response of Sultana vines (*V. vinifera* L.) on six rootstocks to NaCl salinity exposure and recovery, 51 (2001) 13
Effect of salinity on yield and nitrogen uptake of four grain legumes and on biological nitrogen contribution from the soil, 51 (2001) 87

Salinity prediction model
Soil salinity reduction and prediction of salt dynamics in the coastal ricelands of Bangladesh, 47 (2001) 9

Salinity reduction
Soil salinity reduction and prediction of salt dynamics in the coastal ricelands of Bangladesh, 47 (2001) 9

Salinity sensitivity
Timing of salinity stress affects rice growth and yield components, 48 (2001) 191

Salinity stress timing
Timing of salinity stress affects rice growth and yield components, 48 (2001) 191

Salt accumulation
Groundwater uptake and sustainability of farm plantations on saline sites in Punjab province, Pakistan, 48 (2001) 1

Salt dynamics
Soil salinity reduction and prediction of salt dynamics in the coastal ricelands of Bangladesh, 47 (2001) 9

Salt loading
Irrigation management and hydrosalinity balance in a semi-arid area of the middle Ebro river basin (Spain), 49 (2001) 31

Salt tolerance
Response of two varieties of lentil to soil salanity, 47 (2001) 179
Response to soil salinity of two chickpea varieties differing in drought tolerance, 50 (2001) 83
Effect of salinity on yield and nitrogen uptake of four grain legumes and on biological nitrogen contribution from the soil, 51 (2001) 87

Sap flow
Species differences in transpiration on a saline discharge site, 50 (2001) 65

Sap flux density
Groundwater uptake and sustainability of farm plantations on saline sites in Punjab province, Pakistan, 48 (2001) 1

Sapwood area
Groundwater uptake and sustainability of farm plantations on saline sites in Punjab province, Pakistan, 48 (2001) 1

Scenario-analysis
Assessment of the parameters of a mechanistic soil–crop–nitrogen simulation model using historic data of experimental field sites in Belgium, 51 (2001) 53

Schedule flexibility
Irrigation water distribution and long-term effects on crop and environment, 50 (2001) 125

Scheduling
Real-time scheduling of supplemental irrigation for potatoes using a decision model and short-term weather forecasts, 47 (2001) 137

Seed-cotton yield
Yield and fibre quality of cotton cultivars as affected by the build-up of sodium in the soils with sustained sodic irrigations under semi-arid conditions, 49 (2001) 1

Self-governance
Design principles in long-enduring institutions of Japanese irrigation common-pool resources, 48 (2001) 89

Semi-arid climate
Parameters affecting water vapor adsorption by the soil under semi-arid climatic conditions, 48 (2001) 61

Semi-arid Loess Plateau
Effects of pre-sowing irrigation and phosphorus application on water use and yield of spring wheat under semi-arid conditions, 49 (2001) 173

Semiarid region
Incorporation of ridge and furrow method of rainfall harvesting with mulching for crop production under semiarid conditions, 50 (2001) 173

Shallow ground water
Managing subsurface drip irrigation in the presence of shallow ground water, 47 (2001) 243

Simulation
A simulation study of chickpea crop response to limited irrigation in a semiarid environment, 49 (2001) 225

Simulation modelling
Irrigation management for optimizing crop production and nitrate leaching on grassland, 49 (2001) 97

Simulation of water flow
A simulation model of water dynamics in winter wheat field and its application in a semiarid region, 49 (2001) 115

Site-specific management
Assessment of spatial variability in nitrate leaching to reduce nitrogen fertilizers impact on water quality, 48 (2001) 179

SO_4 movement
Solute transport modelling in soil for irrigation field experiments with alkali water, 51 (2001) 153

Socio-economic
Predicting drip irrigation use and adoption in a desert region, 51 (2001) 125

Sodic soils
Effects of burning on soil-water content and water use in a *Paspalum quadrifarium* grassland, 50 (2001) 97
Residual alkalinity as tracer to estimate the changes induced by forage cultivation in a non-saline irrigated sodic soil, 50 (2001) 229

Sodic water
Effect of residual sodium carbonate in irrigation water on the soil sodication and yield of palmarosa (*Cymbopogon martinni*) and lemongrass (*Cymbopogon flexuosus*), 50 (2001) 161

Sodicity
Irrigation management and hydrosalinity balance in a semi-arid area of the middle Ebro river basin (Spain), 49 (2001) 31

Soil adjusted vegetation index
Estimation of crop evapotranspiration of irrigation command area using remote sensing and GIS, 49 (2001) 239

Soil electrical conductivity
A modeling-GIS approach for assessing irrigation effects on soil salinisation under global warming conditions, 50 (2001) 53

Soil erosion
Farm-scale stormwater losses of sediment and nutrients from a market garden near Sydney, Australia, 47 (2001) 227

Soil moisture
Prototype time-domain reflectometry probes for measurement of moisture content near the soil surface for applications to "on-the-move" measurements, 50 (2001) 41

Soil salinity
Salt tolerance of crops according to three classification methods and examination of some hypothesis about salt tolerance, 47 (2001) 1
Simulation of the dry matter production and seed yield of common beans under varying soil water and salinity conditions, 47 (2001) 55
Irrigation with saline water in the reclaimed marsh soils of south-west Spain: impact on soil properties and cotton and sugar beet crops, 48 (2001) 133
A modeling-GIS approach for assessing irrigation effects on soil salinisation under global warming conditions, 50 (2001) 53
Use of saline–sodic waters through phytoremediation of calcareous saline–sodic soils, 50 (2001) 197

Soil sodicity
Use of saline–sodic waters through phytoremediation of calcareous saline–sodic soils, 50 (2001) 197

Soil surface
Prototype time-domain reflectometry probes for measurement of moisture content near the soil surface for applications to "on-the-move" measurements, 50 (2001) 41

Soil water
Parameters affecting water vapor adsorption by the soil under semi-arid climatic conditions, 48 (2001) 61

Soil water balance
Semi-empirical approach for estimating actual evapotranspiration in Greece, 51 (2001) 143

Soil water content
Nitrate leaching and soil nitrate content as affected by irrigation uniformity in a carrot field, 48 (2001) 37

Soil water evaporation
Evaluating the effectiveness of a hydrophobic polymer for conserving water and reducing weed infection in a sandy loam soil, 51 (2001) 29

Soil water matric head
Spinach yield and nutritional quality affected by controlled soil water matric head, 51 (2001) 217

Soil water stress
Simulation of the dry matter production and seed yield of common beans under varying soil water and salinity conditions, 47 (2001) 55

Soil water transport
A simulation model of water dynamics in winter wheat field and its application in a semiarid region, 49 (2001) 115

Soil–crop–nitrogen simulation model
Assessment of the parameters of a mechanistic soil–crop–nitrogen simulation model using historic data of experimental field sites in Belgium, 51 (2001) 53

Solanum tuberosum
Yield and size of deficit irrigated potatoes, 48 (2001) 255

Solute concentration
Salinity distribution in paddy root zone under subsurface drainage, 48 (2001) 169

Solute transport
Salinity distribution in paddy root zone under subsurface drainage, 48 (2001) 169

Sowing date
Reducing peak supplemental irrigation demand by extending sowing dates, 50 (2001) 109

Soybean
Salt tolerance of crops according to three classification methods and examination of some hypothesis about salt tolerance, 47 (2001) 1

Spate irrigation
The Eritrean spate irrigation system, 48 (2001) 51

Spate irrigation system
The Eritrean spate irrigation system, 48 (2001) 51

Spatial variability
Assessment of spatial variability in nitrate leaching to reduce nitrogen fertilizers impact on water quality, 48 (2001) 179

***Spinacia oleracea* L.**
Spinach yield and nutritional quality affected by controlled soil water matric head, 51 (2001) 217

Spring wheat
Effects of different water supply regimes on water use and yield performance of spring wheat in a simulated semi-arid environment, 47 (2001) 25
Effects of pre-sowing irrigation and phosphorus application on water use and yield of spring wheat under semi-arid conditions, 49 (2001) 173

Sprinkler irrigation
Application of drag reducing commercial and purified guargum for reduction of energy requirement of sprinkler irrigation and percolation rate of the soil, 47 (2001) 101

Stem flow
Rainfall interception by olive trees in relation to leaf area, 49 (2001) 65

Stream quality
Fate of gypsum surface — applied to an Appalachian hill pasture watershed, 50 (2001) 27

Sub-humid
Evaluation of evapotranspiration estimation methods and development of crop-coefficients for potato crop in a sub-humid region, 50 (2001) 9

Subsoil acidity
Fate of gypsum surface — applied to an Appalachian hill pasture watershed, 50 (2001) 27

Subsurface drainage
Influence of subsurface drainage on crop production and soil quality in a low-lying acid sulphate soil, 47 (2001) 191

Subsurface drip irrigation
Managing subsurface drip irrigation in the presence of shallow ground water, 47 (2001) 243

Subsurface flow
Drainage equations for random and irregular tile drainage systems, 48 (2001) 207

Sugar beet
Salt tolerance of crops according to three classification methods and examination of some hypothesis about salt tolerance, 47 (2001) 1
Irrigation with saline water in the reclaimed marsh soils of south-west Spain: impact on soil properties and cotton and sugar beet crops, 48 (2001) 133

Sulphuric acid
Use of saline–sodic waters through phytoremediation of calcareous saline–sodic soils, 50 (2001) 197

Sunflower
Salt tolerance of crops according to three classification methods and examination of some hypothesis about salt tolerance, 47 (2001) 1
Application of EPIC model for irrigation scheduling of sunflower in Southern Italy, 49 (2001) 185

Supplemental irrigation
Real-time scheduling of supplemental irrigation for potatoes using a decision model and short-term weather forecasts, 47 (2001) 137
Reducing peak supplemental irrigation demand by extending sowing dates, 50 (2001) 109

Surge flow
Comparison of surge and continuous furrow methods for cotton in the Harran plain, 47 (2001) 119

Sustainability
Farm-scale stormwater losses of sediment and nutrients from a market garden near Sydney, Australia, 47 (2001) 227
Irrigation water distribution and long-term effects on crop and environment, 50 (2001) 125

Tank irrigation
Methodology for design of water harvesting system for high rainfall areas, 47 (2001) 37

Tank size
Methodology for design of water harvesting system for high rainfall areas, 47 (2001) 37

Technology
Predicting drip irrigation use and adoption in a desert region, 51 (2001) 125

Terminal drought stress
A simulation study of chickpea crop response to limited irrigation in a semiarid environment, 49 (2001) 225

The Loess Plateau
Comparison of a modified statistical-dynamic water balance model with the numerical model WAVES and field measurements, 48 (2001) 21

The North China Plain (NCP)
Improving water use efficiency of irrigated crops in the North China Plain — measurements and modelling, 48 (2001) 151

The WAVES model
Comparison of a modified statistical-dynamic water balance model with the numerical model WAVES and field measurements, 48 (2001) 21

Tile drain spacing
Salinity distribution in paddy root zone under subsurface drainage, 48 (2001) 169

Time-domain reflectometry
Prototype time-domain reflectometry probes for measurement of moisture content near the soil surface for applications to "on-the-move" measurements, 50 (2001) 41
Growing season evapotranspiration from duplex soils in south-western Australia, 50 (2001) 141

Tomato
Salt tolerance of crops according to three classification methods and examination of some hypothesis about salt tolerance, 47 (2001) 1
Managing subsurface drip irrigation in the presence of shallow ground water, 47 (2001) 243

Transpiration
A simulation model of water dynamics in winter wheat field and its application in a semiarid region, 49 (2001) 115
Species differences in transpiration on a saline discharge site, 50 (2001) 65

Vegetative bioremediation
Use of saline–sodic waters through phytoremediation of calcareous saline–sodic soils, 50 (2001) 197

Virtual water
The role of 'virtual water' in efforts to achieve food security and other national goals, with an example from Egypt, 49 (2001) 131

Vitis vinifera
Response of Sultana vines (*V. vinifera* L.) on six rootstocks to NaCl salinity exposure and recovery, 51 (2001) 13

Volumetric water content
Prototype time-domain reflectometry probes for measurement of moisture content near the soil surface for applications to "on-the-move" measurements, 50 (2001) 41

Water allocation planning
Optimisation model for water allocation in deficit irrigation systems. I. Description of the model, 48 (2001) 103
Optimisation model for water allocation in deficit irrigation systems. II. Application to the Bembezar irrigation system, 48 (2001) 117

Water availability levels
Optimal cropping pattern in a canal command area, 50 (2001) 1

Water balance
Rainfall interception by olive trees in relation to leaf area, 49 (2001) 65
Modelling the effects of soil and water management practices on the water balance and performance of rice, 49 (2001) 77
Growing season evapotranspiration from duplex soils in south-western Australia, 50 (2001) 141
Water balance of apricot trees (*Prunus armeniaca* L. cv. Búlida) under drip irrigation, 50 (2001) 211

Water policy
The role of 'virtual water' in efforts to achieve food security and other national goals, with an example from Egypt, 49 (2001) 131

Water productivity
Field water management to save water and increase its productivity in irrigated lowland rice, 49 (2001) 11

Water saving
Field water management to save water and increase its productivity in irrigated lowland rice, 49 (2001) 11

Evaluating the effectiveness of a hydrophobic polymer for conserving water and reducing weed infection in a sandy loam soil, 51 (2001) 29

Water status
Use of crop water stress index for monitoring water status and scheduling irrigation in wheat, 47 (2001) 69

Water stress
Heat-pulse measurements of sap flow in olives for automating irrigation: tests, root flow and diagnostics of water stress, 51 (2001) 99

Water stress day index
Salt tolerance of crops according to three classification methods and examination of some hypothesis about salt tolerance, 47 (2001) 1

Water supply regimes
Effects of different water supply regimes on water use and yield performance of spring wheat in a simulated semi-arid environment, 47 (2001) 25

Water table
Groundwater uptake and sustainability of farm plantations on saline sites in Punjab province, Pakistan, 48 (2001) 1

Water uptake
A simulation model of water dynamics in winter wheat field and its application in a semiarid region, 49 (2001) 115

Water use
Groundwater uptake and sustainability of farm plantations on saline sites in Punjab province, Pakistan, 48 (2001) 1
Irrigation management for optimizing crop production and nitrate leaching on grassland, 49 (2001) 97
Effects of early soil water distribution on the dry matter partition between roots and shoots of winter wheat, 49 (2001) 163
Effects of burning on soil-water content and water use in a *Paspalum quadrifarium* grassland, 50 (2001) 97
Growing season evapotranspiration from duplex soils in south-western Australia, 50 (2001) 141
Influence of boundary plantation of poplar (*Populus deltoides* M.) on soil–water use and water use efficiency of wheat, 51 (2001) 173

Water use efficiency
Effects of different water supply regimes on water use and yield performance of spring wheat in a simulated semi-arid environment, 47 (2001) 25
Improving water use efficiency of irrigated crops in the North China Plain — measurements and modelling, 48 (2001) 151
Yield and size of deficit irrigated potatoes, 48 (2001) 255
Effects of pre-sowing irrigation and phosphorus application on water use and yield of spring wheat under semi-arid conditions, 49 (2001) 173
Influence of boundary plantation of poplar (*Populus deltoides* M.) on soil–water use and water use efficiency of wheat, 51 (2001) 173
Spinach yield and nutritional quality affected by controlled soil water matric head, 51 (2001) 217

Water vapor adsorption
Parameters affecting water vapor adsorption by the soil under semi-arid climatic conditions, 48 (2001) 61

Water yield
Fate of gypsum surface — applied to an Appalachian hill pasture watershed, 50 (2001) 27

WAVES
Improving water use efficiency of irrigated crops in the North China Plain — measurements and modelling, 48 (2001) 151

Weather forecast
Real-time scheduling of supplemental irrigation for potatoes using a decision model and short-term weather forecasts, 47 (2001) 137

Wet season rice
Methodology for design of water harvesting system for high rainfall areas, 47 (2001) 37

Wheat
Influence of boundary plantation of poplar (*Populus deltoides* M.) on soil–water use and water use efficiency of wheat, 51 (2001) 173

Wheat (*Triticum aestivum*)
A simulation model of water dynamics in winter wheat field and its application in a semiarid region, 49 (2001) 115

Wheat crop
Use of crop water stress index for monitoring water status and scheduling irrigation in wheat, 47 (2001) 69

Wheat–corn
Improving water use efficiency of irrigated crops in the North China Plain — measurements and modelling, 48 (2001) 151

Winter wheat
Comparison of a modified statistical-dynamic water balance model with the numerical model WAVES and field measurements, 48 (2001) 21
Effects of early soil water distribution on the dry matter partition between roots and shoots of winter wheat, 49 (2001) 163

Xylem
Heat-pulse measurements of sap flow in olives for automating irrigation: tests, root flow and diagnostics of water stress, 51 (2001) 99

Yield
Application of EPIC model for irrigation scheduling of sunflower in Southern Italy, 49 (2001) 185
Effect of residual sodium carbonate in irrigation water on the soil sodication and yield of palmarosa (*Cymbopogon martinni*) and lemongrass (*Cymbopogon flexuosus*), 50 (2001) 161

Yield components
Timing of salinity stress affects rice growth and yield components, 48 (2001) 191

Yield performance
Effects of different water supply regimes on water use and yield performance of spring wheat in a simulated semi-arid environment, 47 (2001) 25